



## Division of Criminal Justice Services

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, INC., STALKER DUAL RADAR, serial number 043191, performed on January 17, 2019 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh. J. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 1/24/2019 12:03 PM

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department  
Manufacturer: APPLIED CONCEPTS, INC. Model: STALKER DUAL  
Date: January 17, 2019 Serial Number: 043191

I hereby certify that APPLIED CONCEPTS, INC. RADAR, model STALKER DUAL, serial number 043191 / 045532 / N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FB240740	4168 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4168 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA131030	2616 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2616 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

page 1 of 2

*Joseph Iavarone*

Digitally signed under ESRA  
by Joseph Iavarone  
on 1/17/2019 3:30 PM

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



**RADAR**  
**RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Cambridge Village Police Department

**Manufacturer:** APPLIED CONCEPTS, INC.

**Model:** STALKER DUAL

**Serial Number:** 043191

**Date:** January 17, 2019

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**

*Joe Iavarone*

Digitally signed under ESRA  
by Joseph Iavarone  
on 1/17/2019 3:30 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**



## Division of Criminal Justice Services

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS, STALKER DUAL RADAR, serial number DC082373, performed on January 17, 2019 by Office of Public Safety employee Jonathan Mascolo, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Joshua Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 1/24/2019 12:03 PM

**Joshua Vinehout**  
Supervisor of Public Safety Programs  
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency



**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department  
Manufacturer: APPLIED CONCEPTS      Model: STALKER DUAL  
Date: January 17, 2019      Serial Number: DC082373

I hereby certify that APPLIED CONCEPTS RADAR, model STALKER DUAL, serial number DC082373 / 051268 / 045620, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	65 MPH	65 MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FB504286	4174 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 4174 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

Serial Number	Frequency	Test Result
FA202990	2621 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 2621 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 34,700 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA  
by Jonathan Mascolo  
on 1/17/2019 12:23 PM

**Jonathan Mascolo**  
Highway Safety Equipment Technician  
Office of Public Safety

**RADAR**  
**RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Cambridge Village Police Department

**Manufacturer:** APPLIED CONCEPTS

**Model:** STALKER DUAL

**Serial Number:** DC082373

**Date:** January 17, 2019

**1. General appearance and condition of this device -----: OK**

**2. Turn system ON -----: OK**

**3. Check visual displays/indicators -----: OK**

**4. System cycles through all modes -----: OK**

**5. Record any repairs made to this instrument and list services provided:**  
**VERIFIED CALIBRATION**



Digitally signed under ESRA  
by Jonathan Mascolo  
on 1/17/2019 12:23 PM

---

**Jonathan Mascolo**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**





## Division of Criminal Justice Services

### **CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC, STALKER PATROL RADAR, serial number EC006438, performed on January 17, 2019 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink, appearing to read "Josh J. Vinehout".

Digitally signed under  
ESRA by Joshua Vinehout  
on 1/24/2019 12:03 PM

**Joshua Vinehout**  
**Supervisor of Public Safety Programs**  
**Office of Public Safety**

An Equal Opportunity/Affirmative Action Agency

**RADAR  
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cambridge Village Police Department  
Manufacturer: APPLIED CONCEPTS INC      Model: STALKER PATROL  
Date: January 17, 2019      Serial Number: EC006438

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC006438 / EB009990 / N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	40 MPH	40 MPH
2	25 MPH	25 MPH
Test No	Certification Standard (Moving)	Test Result
1	40 MPH	15 MPH
	25 MPH	

Turning Fork Certification / Date of Certification: January 17, 2019

Serial Number	Frequency	Test Result
FE016746	2897 HZ	40 MPH

The above stated tuning fork has been tested and found to oscillate at 2897 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
FD013540	1818 HZ	25 MPH

The above stated tuning fork has been tested and found to oscillate at 1818 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

*Joe Iavarone*

Digitally signed under ESRA  
by Joseph Iavarone  
on 1/17/2019 3:25 PM

**Joseph Iavarone**  
Highway Safety Equipment Technician  
Office of Public Safety



**RADAR**  
**RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

**Name of Submitting Agency:** Cambridge Village Police Department  
**Manufacturer:** APPLIED CONCEPTS INC  
**Model:** STALKER PATROL  
**Serial Number:** EC006438  
**Date:** January 17, 2019

1. General appearance and condition of this device -----: OK
2. Turn system ON -----: OK
3. Check visual displays/indicators -----: OK
4. System cycles through all modes -----: OK
5. Record any repairs made to this instrument and list services provided:  
**VERIFIED CALIBRATION**



*Joe Iavarone*

Digitally signed under ESRA  
by Joseph Iavarone  
on 1/17/2019 3:25 PM

---

**Joseph Iavarone**  
**Highway Safety Equipment Technician**  
**Office of Public Safety**